Interior

In order to further pursue emotive performance in the Nürburgring Package, a weight reduction of the interior equipment has been achieved.

The adoption of full bucket seats and exclusive CFRP (Carbon Fiber Reinforced Plastics) parts reduced vehicle weight and helped contribute to improved drivability. Additionally, the adoption of these interior parts raises the expectation of driving.

Full bucket seats (Europe only)

In the Nürburgring Package, full bucket seats (RECARO RS-W) have been adopted to secure a stable driving position across a variety of driving conditions.

For the frame, lightweight and high-rigid CFRP has been adopted, improving drivability due to a vehicle weight reduction and achieving a high level of holding performance even during sharp turns.

Additionally, while maintaining side support performance, the shape of the seats have been optimized, increasing the ease of getting in and out of the vehicle and improving daily usability of the vehicle when compared to those used on racing vehicles.

Holding performance

Even during sharp turns, the full bucket seats hold the driver's body without allowing any body movement and support accurate steering operations and pedal work.

Also, by keeping one's posture, eyepoint is maintained, making it possible to judge distances and respond to object recognition correctly.

With the Nürburgring Package, the full bucket seat's high holding performance enables a precise driving position to be held, allowing the driver to enjoy driving at their will.

Weight reductions

The weight applied to the center of the vehicle is reduced by adopting lightweight and high-rigid CFRP for the seat's frame and Alcantara®* for the seat's upholstery, contributing to an improvement in driving performance.

*: "Alcantara®" is a registered trademark of Alcantara S.p.A.

Full bucket seats

[Adjustment]

Lift the lever beneath the seat to adjust the seat forward or backward.

[Maintenance]

The seat cushions can be removed.
Remove the seat cushions to clean away dust under the cushions.

N-039

[Label attached to the seat cushion]

The procedure for removing the seat lever is written on the label located under the seat cushion. Take care not to scratch the label when cleaning.

Materials used for each component

Alcantara®[*1] and CFRP have been used for many of the non metal-accented interior components in the Nürburgring Package model, achieving a reduction in vehicle weight and an enhanced sense of quality.

<Europe only>

<Except Europe>

Maintaining the vehicle's interior[*2]

Alcantara®[*1] areas

After wiping dirty surfaces with a dampened soft cloth, wipe away any remaining moisture with a soft, dry cloth.

CFRP/Satin finish metal accent areas

After wiping dirty surfaces with a dampened soft cloth or synthetic chamois, wipe away any remaining moisture with a soft, dry cloth.

Leather areas

Remove dirt and dust using a vacuum cleaner and wipe the surface with a dry, soft cloth to remove any remaining moisture.

*1: "Alcantara®" is a registered trademark of Alcantara S.p.A.

*2: Refer to the Owner's Manual for details and cautions regarding the maintenance of each component.

Removing and installing floor mats

Floor mats are not provided on Nürburgring Package models.
Vehicles with power seats: If installing floor mats, ensure that then only use LFA-exclusive floor mats. Refer to the Owner's Manual for details and cautions regarding installation.
Vehicles with full bucket seats: Do not install floor mats. If floor mats are installed, the floor mat retaining hooks (clips) may interfere with the seat when the seat is adjusted, preventing the correct seat position from being reached.